

## Walkthrough Inspection Checklist

Name:	CHUS HARDING
School:	Guras Am Sover
Room or Area:	BUILDING Date Completed:
Signature:	

1	GROUND LEVEL		
	Yes	,	N/A
	Ensured that ventilation units operate properly	′	
	Ensured there are no obstructions blocking air intakes	r	
	Checked for nests and droppings near outdoor air intakes		
ıu.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	/ <sub>a</sub>	
le.	Checked potential sources of air contaminants near the building	-	York
	(chimneys, stacks, industrial plants, exhaust from nearby buildings)	, a	
1f.	Ensured that vehicles avoid idling near outdoor air intakes	, o	
	Minimized pesticide application	<sup>'</sup> 🗅	
lh.	Ensured that there is proper drainage away from the building (including	,	
	roof downspouts)		
li.	Ensured that sprinklers spray away from the building and outdoor air intakes	/ -	
1i.	Ensured that walls off mate are used at exterior entrances and that		
IJ.	they are cleaned regularly	/ <sub>a</sub>	
Whi	ROOF  ile on the roof, consider inspecting the HVAC units (use the Ventilation Checklis  Ensured that the roof is in good condition	,	
	Checked for evidence of water ponding	,	
20. 2n	Checked that ventilation units operate properly (air flows in)	, u	
2d.	Ensured that exhaust fans operate properly (air flows out)	/ u	
	Ensured that air intakes remain open, even at minimum setting		
	Checked for nests and droppings near outdoor air intakes		
	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes	/ <sub>-</sub>	<u> </u>
3.	ATTIC	/	
3a.	Checked for evidence of roof and plumbing leaks	, 0	
3Ъ.	Checked for birds and animal nests		
4.	GENERAL CONSIDERATIONS		
la.	Ensured that temperature and humidity are maintained within acceptable ranges	/ _ u	
₽b.	Ensured that no obstructions exist in supply and exhaust vents	′ 🗅	


4c. Checked for odors

4d. Checked for signs of mold and mildew growth .....

#### Instructions

- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

4.	GENERAL CONSIDERATIONS (continued)	Νo	N/A	
4f.	Checked for signs of water damage			
5.	BATHROOMS AND GENERAL PLUMBING			
5a. 5b.	Ensured that bathrooms and restrooms have operating exhaust fans			
	Toilets are flushed at least once per week	L		
6.	MAINTENANCE SUPPLIES			
	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied		Q	
	Ensured that vents in chemical and trash storage areas are operating properly	<b>a</b>		
6d.	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines		a	
7.	COMBUSTION APPLIANCES			
7c.	Checked for combustion gas and fuel odors			
8.	OTHER			
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	, 0		
8b.	Determined date of last radon test	السا	<b>_</b> i	




- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

# Waste Management Checklist

Name:	CAPIS HARDING	
School:	GRENO AM SENSON	
Room or Area:	BUILDING Date Completed: 12/30/23	
Signature:	ESPS	

1.	WASTE MANAGEMENT	Yes	No	N/A
	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)			
	Ensured that waste containers are lined	<b>M</b>	ч	<u></u>
	Ensured that waste from art, science, vocational classes, etc., are handled separately	ॼ॔	a	<u></u>
1d.	Labeled recycling bins clearly	4	. 🗀	u
1e.	Ensured number of bins and dumpsters is adequate	<b>D</b>		
	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)		<u> </u>	<u> </u>
	Ensured waste containers are emptied regularly		. U	
1h.	Ensured appropriate waste removal schedule	Œ/ <sub>/</sub>		
1i.				
1j.	Ensured any exhaust fans in the room are operating properly	២/	/ 🔾	
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin	A		
	N .			




- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.


### **Ventilation Checklist**

Nan	ne: CAMS HANDING		
Sch	ool: GUEND HILL SCHEEN		
Uni	AV- Wilston AVIII No.		
Roc	om or Area:  BULDING  Date Completed: 12/30/23		
Sign	nature:		
1. (	OUTDOOR AIR INTAKES		
1a.	Marked locations of all outdoor air intakes on a small floor plan (for	Лo	N/A
11	example, a fire escape floor plan)		Ч
16.	mode	a	
A C'	TIVITY 1: OBSTRUCTIONS		
	Ensured that outdoor air intakes are clear of obstructions, debris, clogs,		_
	or covers		
1d.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)		
	Checked ground-level intakes for pollutant sources (dumpsters, loading		
	docks, and bus-idling areas)		
1f.	Checked rooftop intakes for pollutant sources (plumbing vents; kitchen,		
	toilet, or laboratory exhaust fans; puddles; and mist from air-conditioning cooling towers)		
1g.	Described any problems with pollutant sources located near outdoor air		
	intakes (e.g., relocated dumpster or extended exhaust pipe)		
AC'	TIVITY 3: AIRFLOW		
lh.	Obtained chemical smoke (or a small piece of tissue paper or light plastic).		
1i.	Confirmed that outdoor air is entering the intake appropriately	<b>l</b>	<u> </u>
2.	SYSTEM CLEANLINESS		
AC	TIVITY 4: AIR FILTERS	_	_
2a.	Replaced filters per maintenance schedule	<b>u</b>	_
	blowing downstream)		
2c.	Vacuumed filter areas before installing new filters		
2d.	Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter		
2e	Confirmed proper installation of filters (correct direction for airflow)		

#### 2. SYSTEM CLEANLINESS (continued)


AC	TIVITY 5: DRAIN PANS			
-	accumulating)	, 1	ol/	N/A
2g.	Cleaned drain pans	ا ہر		
2h.	Checked drain pans for mold and mildew	<b>'</b> 1	Q	
AC	TIVITY 6: COILS	/	_	
2i.	Ensured that heating and cooling coils are clean	!	u	Ч
	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS	,		
2j.	Ensured that the interior of air-handling unit(s) or unit ventilator			
01	(air-mixing chamber and fan blades) is clean	/		
2ĸ.	Ensured that ducts are clean		_	
AC	TIVITY 8: MECHANICAL ROOMS	/		
21.	Checked mechanical room for unsanitary conditions, leaks, and spills			اسا
2m.	Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies			
3.	CONTROLS FOR OUTDOOR AIR SUPPLY	,		
3a.	Ensured that air dampers are at least partially open (minimum position)			
3b.	Till 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,		
	for occupants	i		
	TIVITY 9: CONTROLS INFORMATION			
3c.	Obtained and reviewed all design inside/outside temperature and humidity			
	requirements, controls specifications, as-built mechanical drawings,	/		
	and controls operations manuals (often uniquely designed)	•	_	<u> </u>
AC	TIVITY 10: CLOCKS, TIMERS, SWITCHES	/,	_	
3d.	Turned summer-winter switches to the correct position		u	
3e.	Set time clocks appropriately	1	ч	<b>–</b>
3f.	Ensured that settings fit the actual schedule of building use (including night/weekend use)	/	П	П
	mgni weekend use)	•	_	
	TIVITY 11: CONTROL COMPONENTS			
3g.	Ensured appropriate system pressure by testing line pressure at both the		A	П
01	occupied (day) setting and the unoccupied (night) setting			
	Checked that the line dryer prevents moisture buildup	r	<u></u>	
3i.	compressor manufacturer's recommendation (for example, when you	/		
	blow down the tank)	1		
3j.	Set the line pressure at each thermostat and damper actuator at the proper	/		
J	level (no leakage or obstructions)	1		
	CTIVITY 12: OUTDOOR AIR DAMPERS	/		
3k.	Ensured that the outdoor air damper is visible for inspection	1		
	Ensured that the recirculating relief and/or exhaust dampers are visible for inspection	<b>{</b>	Q	
3m	Emproved that air temperature in the indeer area(s) served by each	$\int$		
	outdoor air damper is within the normal operating range	1		





3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	Yes	No □	N/A
	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on			
~	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	. <b>U</b>	a	Q
•	If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F			۵
3r.	<ul> <li>If the outdoor air damper does not move, confirmed the following items:</li> <li>The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight</li></ul>	. <b>d</b>		
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.			
	TIVITY 13: FREEZE STATS			
	Disconnected power to controls (for automatic reset only) to test continuity across terminals	.ପ		Q
OR 3t.		. <b>d</b>	/ 	Q
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	.๗	<b>a</b>	a
clos	TE: HVAC systems with water coils need protection from the cold. The freeze se the outdoor air damper and disconnect the supply air when tripped. The tyge is $35^{\circ}F$ to $42^{\circ}F$ .	⊱stat vpica	t may ıl trip	; ;
AC	TIVITY 14: MIXED AIR THERMOSTATS			
	Ensured that the mixed air stat for heating mode is set no higher than 65°F	. <b></b>		۵
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	. ₪		
40	TIVITY 15: ECONOMIZERS			
3x.	Confirmed proper economizer settings based on design specifications or local practices	. <b>d</b>		۵
NO	TE: The dry-bulb is typically set at 65°F or lower.	,		
	Checked that sensor on the economizer is shielded from direct sunlight	. U		
3z.	Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications	1		
load Dry and	TE: Economizers use varying amounts of cool outdoor air to assist with the d of the room or rooms. There are two types of economizers, dry-bulb and en y-bulb economizers vary the amount of outdoor air based on outdoor tempend enthalpy economizers vary the amount of outdoor air based on outdoor tem l humidity level.	thalį aturė	ру. г,	

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)	
ACTIVITY 16: FANS  3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)	
NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply.	
4. AIR DISTRIBUTION	
ACTIVITY 17: AIR DISTRIBUTION  4a. Ensured that supply and return air pathways in the existing ventilation system perform as required	
NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies.	
4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows)	
NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents.	TESTING JULY 2024
4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply	July 2021
and population changes	
blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents	
activities	
4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals	
ACTIVITY 18: PRESSURIZATION IN BUILDINGS	
NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity.	
4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)	JUZY 2024
5. EXHAUST SYSTEMS	
ACTIVITY 19: EXHAUST FAN OPERATION  5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s)	).
If fans are running but air is not flowing toward the exhaust intake, check for the following:  • Inoperable dampers  • Obstructed, leaky, or disconnected ductwork  • Undersized or improperly installed fan  • Broken fan belt	




TESTING JULY 2024

#### 5. EXHAUST SYSTEMS (continued)

#### **ACTIVITY 20: EXHAUST AIRFLOW**

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kit and labs by keeping them under negative pressure (as compared to surrounding space		۲,
5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces.	No □	N/A
Stand outside the room with the door slightly open while checking airflow high and the door opening (see "How to Measure Airflow").	low ii	n
5c. Ensured that air is flowing toward the exhaust intake $\Box$		Q
ACTIVITY 21: EXHAUST DUCTWORK  5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition		٥
6. QUANTITY OF OUTDOOR AIR		
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS		
NOTE: Refer to "How to Measure Airflow" for techniques.		
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit	Q	
6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration		
6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)□		
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES		
6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		۵
6e. Corrected problems with ventilation units that supplied inadequate		



- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.


# **Integrated Pest Management Checklist**

MINIS LARDING


N	ame:		
Sc	shool: GILEND HILL SEADON		
Ro	oom or Area: BUIDING Pate Completed: 12/30/23	1	
Si	gnature:	<b>S</b>	
1.	OFFICIAL POLICY STATEMENT	No	81 <i>11</i>
1a.	Developed or located the school's official policy statement for integrated pest management (IPM)	/ 	14/ <i>F</i>
2.	DESIGNATING PEST MANAGEMENT ROLES		
	Assigned and trained a qualified person to be the pest manager		
	Involved decision makers in the IPM program	, 🗆	
ZC.	and asked them to keep their areas clean and free of clutter		
2d.	Encouraged parents to learn about IPM practices and implement them	П	Q
2e.	at home		
2f.	Included language about IPM into contracts with pest management professionals	, 	۵
3.	SETTING PEST MANAGEMENT OBJECTIVES		
3a.	Set appropriate pest management objectives for school buildings (such as		
	preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)		
3b.	Set appropriate pest management objectives for school grounds (such as	,	
	providing safe playing areas and the best athletic surfaces possible)		
4.	INSPECTING, IDENTIFYING, AND MONITORING		
4a.	Inspected all buildings and grounds for pest evidence, entry points,	, _	
4h	food, water, and harborage sites	, U	u
	Pinpointed the source of any current pest problems		ū
4d.	Monitored to determine the extent of pest problems and to estimate pest	/_	
4e	populations	<u> </u>	
10.	sanitation efforts) to prevent or resolve any pest problems		
4f.	Established a monitoring program that consists of routine inspections to		

potential habitat ......

5.	SETTING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring		No □	N/A
	Determined how many pests the school buildings, grounds, and occupants can tolerate	. <b>d</b> ,		ū
5c.	Set action thresholds	. <b>a</b>		
6.	PREVENTIVE STRATEGIES			
INI	DOOR SITES			
6a.	Implemented appropriate strategies to prevent pests from inhabiting the fol	lowin	g are	as:
	• Entryways	<b>u</b>		
	• Classrooms	<b>u</b>		$\Box$
	Gymnasiums			
	• Locker rooms			
	• Offices	<b>ਈ</b> _		
	Staff lounges	🗹		
	• Bathrooms	🗹		
	• Food preparation and serving areas			
	• Rooms with extensive plumbing	🗹 ,		
	Maintenance areas	. 🗹 )		
	• Other			
<b>OU</b> 6b.	TDOOR SITES Implemented appropriate strategies to prevent pests from inhabiting the fol • Playgrounds		ıg are	eas:
	Parking lots	<b>v</b>		
	• Lawns and athletic fields			
	Teaching gardens or greenhouses	Ø		
	Loading docks	∕		
	• Dumpsters	<b>T</b>		
	Areas with ornamental shrubs and trees	U	<b>-</b> 🗆	
	• Other	র্ম		
7.	PESTICIDE USE AND STORAGE - PARK + REC	DEF	T.	
7a.	Explored alternative pest management methods before concluding that pesticides were necessary	117	П	
7b.	Ensured that pest management professionals integrate IPM into their	<u>-</u>		
7c.	pest management methods	,, uni	'sad	<b>-</b>
	formulation) that is the most effective to address the pest problem, preferably as baitsand granules	122/		
7d.	Reviewed and followed all label instructions on pesticides and learned			П
7-	how to properly apply and handle these chemicals	<u> </u>	Ľ	J
/e.	pesticides whenever possible and only treated the obviously infested			
	plants in the area	🗷		
7f.	Used protective clothing or equipment when applying pesticides			
	Placed all pesticides in tamper-resistant bait boxes or locations that are		_	_
/ g.	inaccessible to children and non-target species	🖫		




PARK+PEC. DEPT.



7. 1	PESTICIDE	USE	AND	STORAGE	(cont.)
------	-----------	-----	-----	---------	---------

7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	Yes ☑	No □	N/N
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	☑		
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	₫		ū
	Ensured that parents are notified of upcoming pesticide applications through letters	<b></b>	O	
	Kept copies of current pesticide labels and information on pesticides easily accessible			
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	<b>ජ</b>		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment			ū
7o.	Ensured that flammable liquids are stored away from ignition sources	🗹		
	Ensured that pesticides are stored in their original containers and all lids are securely fastened	🗹		
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	🗹	a	0
8.	EVALUATING RESULTS AND RECORD KEEPING			
Ba.	Ensured that accurate, up-to-date records of IPM practices and a pest		/	
	management log for each property are kept	◘/		
	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained	. 🗹	Q	0
Зc.	Ensured that each log book contains the following items:  Copy of the pest management plan	1	П	
	Service schedules for maintenance of buildings and grounds	. W		J
	Current EPA-registered labels			<u> </u>
	• Current Material Safety Data Sheets (MSDS) for each pesticide project			
	Pest surveillance data sheets	🗹 /		
	• Diagram noting the location of pest activity, traps, and bait stations	🗹		ū




- Read the IAQ
   Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

# **Building and Grounds Maintenance Checklist**

Na	me:			
Sc	hool: Giveno An Sanoa			
	om or Area: BULDING Date Completed: 12/3	0/13		
Sig	enature:			<del></del>
<u></u>		<del></del>		
1.	BUILDING MAINTENANCE SUPPLIES	Yes	No	N/
	Developed appropriate procedures and stocked supplies for spill control .  Reviewed supply labels			
	Ensured that air from chemical and trash storage areas vents to the outdoors	⊌		
1d.	Stored chemical products and supplies in sealed, clearly labeled containers	<u>u</u>		
	Researched and selected the safest products available Ensured that supplies are being used according to manufacturers'	Ø		
	instructions	<b>v</b>		
_	disposed of according to manufacturers' instructions	<b>d</b>		
lh. lî.	Substituted less- or non-hazardous materials (where possible)	<u>.</u>		_
1j.	When the school is unoccupied	ध	'_	
	hazardous chemicals	🖆		
2.	GROUNDS MAINTENANCE SUPPLIES	1		
	Stored grounds maintenance supplies in appropriate area(s)	년		
	instructions	<b>च</b>		
	from supplies	🗹		
2e.	Replaced portable gas cans with low-emission cans		a Q	
	Stored chemical products and supplies in sealed, clearly-labeled containers	<b>d</b>		
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	d		
3.	DUST CONTROL			
	Installed and maintained barrier mats for entrances			
30.	Used high efficiency vacuum bags	<b></b>		
	Wrapped feather dusters with a dust cloth		, 🗆	

3e. Cleaned air return grilles and air supply vents ......

4.	FLOOR CLEANING	Ves.	No-F	1/A	
4b.	Established and followed schedule for vacuuming and mopping floors  Cleaned spills on floors promptly (as necessary)	v		<b>Q</b>	
4c.	Performed restorative maintenance (as necessary)	<b>v</b>			(
5.	DRAIN TRAPS	,			٩
5b.	Poured water down floor drains once per week (about 1 quart of water)  Ran water in sinks at least once per week (about 2 cups of water)	望⁄			
5c.	Flushed toilets once each week (if not used regularly)	🖽	<b></b>	4	
6.	MOISTURE, LEAKS, AND SPILLS				
6a.	Checked for moldy odors	🗹			
	indicate periodic leaks)	Ø		Q	
	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	🗹			
	Checked that windows, windowsills, and window frames are free of condensate	u			
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	₫			
6f.	Ensured the following areas are free from signs of leaks and water damage. Indoor areas near known roof or wall leaks	e: 	Q		
	Walls around leaky or broken windows	☑ ,		<u> </u>	
	Floors and ceilings under plumbing	u			
7.	COMBUSTION APPLIANCES		,		
7a.	Checked for odors from combustion appliances	७⁄			
7b.	Checked appliances for backdrafting (using chemical smoke)	🖭			
7c. 7d.	Inspected exhaust components for leaks, disconnections, or deterioration.  Inspected flue components for corrosion and soot	u	, a a	Q Q	
8.	PEST CONTROL				
8a.	Completed the Integrated Pest Management Checklist	🗆			



### **Food Service Checklist**

Name:	CHILIS HARDING	
School:	GNEAD 1/11 SCHOOL	2
Room or Area:	MITCHEN Date Completed:	12/30/23
Signature:	(AM)	

#### Instructions

- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1.	COO	KING	AREA
,	COU	KHAG	ARCA

	excessively noisy)		N/A
1b.	Checked for odors near cooking, preparation, and eating areas		Q
1c.	Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning	' u	Q
1d.	Determined that gas appliances function properly	<u> </u>	
1e,	Verified that gas appliances are vented outdoors		
1f.	Ensured there are no combustion gas or natural gas odors, leaks, back-	,	
	drafting, or headaches when gas appliances are used		
1g.	Ensured that kitchen is clean after use		
1h.	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)		
1i.	Selected biocides registered by EPA (if required), followed the		
	manufacturer's directions for use, and carefully reviewed the	/	
	method of application		
1j.	Verified the kitchen is free of plumbing and ceiling leaks (signs include stains, discoloration, and damp areas)	<b>/</b>	
	, , , , , , , , , , , , , , , , , , , ,		
2.	FOOD HANDLING AND STORAGE		
2a.	Checked food preparation, cooking, and storage areas for signs of insects	,	
	and vermin (for example, feces or remains)		
2b.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces		
2c.	Ensured that food preparation, cooking, and storage practices are sanitary 🗹		
2d.	Disposed of food scraps properly and removed crumbs		
	Cleaned counters with soap and water or a disinfectant (according to	_	
	school policy)		
2f.	Swept and wet mopped floors		
3.	WASTE MANAGEMENT		
		,	
3a.	Selected and placed waste in appropriate containers		
	Ensured that containers' lids are securely closed	Ц	
3c.	Separated food waste and food-contaminated items from other wastes,	/ 5	
a 1	if possible   Stored waste containers in a well-ventilated area		
		U	
<i>5</i> e.	Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to	/ _	_
	prevailing winds)		L

4.	DELIVERIES			
	Instructed vendors to avoid idling their engines during deliveries	Yeş∙No ☑ □	N/A	
	Posted a sign prohibiting vehicles from idling their engines in receiving areas			
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen			