


# Walkthrough Inspection Checklist

Name:	CHU3 HARDING	
School:	HEBRON ELEMENTANY	
Room or Area:	BUILDING Date Completed: 12/30/23	
Signature:	and	

- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

<u></u>		-	
1.	GROUND LEVEL	Nο	N/A
1a.	Ensured that ventilation units operate properly	Ω	
	Ensured there are no obstructions blocking air intakes		
	Checked for nests and droppings near outdoor air intakes		
1d.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	Q	
1e.	Checked potential sources of air contaminants near the building	<u> </u>	
1.0	(chimneys, stacks, industrial plants, exhaust from nearby buildings)		
1f.	<u> </u>		
	Minimized pesticide application		
Lil.	roof downspouts)		
1i.	Ensured that sprinklers spray away from the building and outdoor		
	air intakes		
1j.	Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly		
2.	ROOF		
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Checklist	).	
2a.	Ensured that the roof is in good condition		a
2h	Checked for evidence of water ponding	П	
2c,	Checked that ventilation units operate properly (air flows in)		
2d.	Ensured that exhaust fans operate properly (air flows out)		
2e.	Ensured that air intakes remain open, even at minimum setting		
2f.	Ensured that air intakes remain open, even at minimum setting		
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes	′ ロ	П
3.	ATTIC		
3a.	Checked for evidence of roof and plumbing leaks		
	Checked for birds and animal nests	ā	
4.	GENERAL CONSIDERATIONS		
4a.	Ensured that temperature and humidity are maintained within acceptable ranges	, <sub>0</sub>	a

4.	GENERAL CONSIDERATIONS (continued)	2.1		
4e. 4f.	Checked for signs of water damage   Checked for evidence of pests and obvious food sources   Noted and reviewed all concerns from school occupants			
5.	BATHROOMS AND GENERAL PLUMBING	,		
	Ensured that bathrooms and restrooms have operating exhaust fans	,	_ _	
6.	Toilets are flushed at least once per week	L	Q	
	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	_ _		
6c.	properly	, o	<u> </u>	
	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines	′ u	Q	
7.	COMBUSTION APPLIANCES	/		
7b. 7c.	Checked for combustion gas and fuel odors	, a		
8.	OTHER			
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	, , 0		
8b.	Determined date of last radon test			




- 1. Read the IAQ

  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# Waste Management Checklist

Name:	CANIS HARDING	
School:	HEBBDA ELEWENTRY	
Room or Area:		_
Signature:		
Digitatio	7,90	_

1,	WASTE MANAGEMENT	Yes	No	N/A
1a.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)	. dd/		
1b.	Ensured that waste containers are lined	. ॼ॔		
1c.	Ensured that waste from art, science, vocational classes, etc., are handled separately	.₫/		
1d.	Labeled recycling bins clearly	. Z		
1e.	Ensured number of bins and dumpsters is adequate	. D		
1f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)	. <b>@</b> /		
-	Ensured waste containers are emptied regularly	•		
1h.	Ensured appropriate waste removal schedule	. W		
1i.	Ensured waste is stored in a well-ventilated room	.,		
1j.	Ensured any exhaust fans in the room are operating properly	.ଅ∕	∕ 🖸	
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin	. 년		




- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

### **Ventilation Checklist**


Name: CHRIS HARDING			
School: HENNEN ELEMENTALY			
Unit Ventilator/AHU No:	7		
Room or Area: 130/10/10 Date Completed: 17/30)	123		
Signature:			
1. OUTDOOR AIR INTAKES	<b>V</b>	В.	B1 / A
1a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)			N/A
1b. Ensured that the ventilation system was on and operating in "occupied"	1	_	_
mode	M	u	u
ACTIVITY 1: OBSTRUCTIONS			
1c. Ensured that outdoor air intakes are clear of obstructions, debris, clogs,	_/	/ 	ь
or covers	<b>ध</b>	<b>4</b>	u
frequently block an intake)	🗹		
A CHONTHING A. DOY I THE LITTLE COLLD CE C			
ACTIVITY 2: POLLUTANT SOURCES  1e. Checked ground-level intakes for pollutant sources (dumpsters, loading	,		
docks, and bus-idling areas)	᠒		
1f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from		,	
air-conditioning cooling towers)	🗹		
1c Resolved any problems with pollutant sources located near outdoor air	/	, 	
intakes (e.g., relocated dumpster or extended exhaust pipe)	≰⊒	<b></b>	u
ACTIVITY 3: AIRFLOW	. /	,	
1h. Obtained chemical smoke (or a small piece of tissue paper or light plastic	) <b>2</b>	/ 🗅	
1i. Confirmed that outdoor air is entering the intake appropriately	ध्य	u	L.
2. SYSTEM CLEANLINESS			
ACTIVITY 4: AIR FILTERS	/	/	
2a. Replaced filters per maintenance schedule	<b>1</b> 2		
2b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)		, o	ū
2c. Vacuumed filter areas before installing new filters			
2d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter	ía/	/ <sub>[]</sub>	
2e. Confirmed proper installation of filters (correct direction for airflow)	<u>u</u>	′ <b>0</b>	
Zo. Committee Probet Immittee at Immittee (control of the control		_	_

#### 2. SYSTEM CLEANLINESS (continued)

ACTIVITY 5: DRAIN PANS			
2f. Ensured that drain pans slant toward the drain (to prevent water from accumulating)	Yes	No	N/A
2g. Cleaned drain pans	M		
2h. Checked drain pans for mold and mildew		ū	ū
ACTIVITY 6: COILS			
2i. Ensured that heating and cooling coils are clean	গ্র	u	u
ACTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS		,	
2j. Ensured that the interior of air-handling unit(s) or unit ventilator	52	$\Box$	
(air-mixing chamber and fan blades) is clean	<b>u</b>	П	
2k. Ensured that ducts are clean	44	- Local	
ACTIVITY 8: MECHANICAL ROOMS	M		
21. Checked mechanical room for unsanitary conditions, leaks, and spills	, ©	اسا	اسا
2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies	🗹		
3. CONTROLS FOR OUTDOOR AIR SUPPLY			
3a. Ensured that air dampers are at least partially open (minimum position)	…র্ঘ		
of M 1st the first of the control of			
for occupants	☑		
ACTIVITY 9: CONTROLS INFORMATION			
3c. Obtained and reviewed all design inside/outside temperature and humidity	,		
requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed)	P	П	
and controls operations manuals (often uniquely designed)	نسا	_	_
ACTIVITY 10: CLOCKS, TIMERS, SWITCHES		,	_
3d. Turned summer-winter switches to the correct position	ॼ∕	/ <u> </u>	
3e. Set time clocks appropriately	⊍	, u	
3f. Ensured that settings fit the actual schedule of building use (including	d	, 	
night/weekend use)	EI	<u></u>	u,
ACTIVITY 11: CONTROL COMPONENTS			
3g. Ensured appropriate system pressure by testing line pressure at both the	<i>m</i> /	/ 	
occupied (day) setting and the unoccupied (night) setting	⊌ ⊡∕		_ _
3h. Checked that the line dryer prevents moisture buildup	(347		ч
3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you		,	
blow down the tank)	v		
3j. Set the line pressure at each thermostat and damper actuator at the proper	1		
level (no leakage or obstructions)			
ACTIVITY 12: OUTDOOR AIR DAMPERS	/	,	
3k. Ensured that the outdoor air damper is visible for inspection	<b>u</b>	Ū	
31. Ensured that the recirculating relief and/or exhaust dampers are visible	10		
for inspection	<b>~</b>	/ <b>u</b>	Ш
3m. Ensured that air temperature in the indoor area(s) served by each outdoor air damper is within the normal operating range	🗹		
1 0 0			




NOTE: It is necessary to ensure that the damper is operating properly and within the normal



3.	COINTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	/es ⊍	No	N/A
Зо.	Checked that the outdoor air damper opens (at least partially with no delay)	<b>d</b>		
•	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	ij	Q	a
	If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F		_ 	Q
3r.	<ul> <li>If the outdoor air damper does not move, confirmed the following items:</li> <li>The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight</li> <li>Moving parts are free of impediments (e.g., rust, corrosion)</li> <li>Electrical wire or pneumatic tubing connects to the damper actuator</li> <li>The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)</li> </ul>	U/		
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.			
	TIVITY 13: FREEZE STATS  Disconnected power to controls (for automatic reset only) to test continuity across terminals	4	Q.	
	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	Œ/	/ 	
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats		_ 	a
clos	TE: HVAC systems with water coils need protection from the cold. The freeze- se the outdoor air damper and disconnect the supply air when tripped. The ty- ge is $35^{\circ}F$ to $42^{\circ}F$ .	-stat pica	may l trip	, )
AC	TIVITY 14: MIXED AIR THERMOSTATS			
3v.	Ensured that the mixed air stat for heating mode is set no higher than 65°F	4		
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting		ū	
AC	TIVITY 15: ECONOMIZERS			
	Confirmed proper economizer settings based on design specifications or local practices	4		۵
	TE: The dry-bulb is typically set at $65^{\circ}F$ or lower.	/		
3y. 3z.	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications	,		<u> </u>
loa Dry and	TE: Economizers use varying amounts of cool outdoor air to assist with the of dof the room or rooms. There are two types of economizers, dry-bulb and enty-bulb economizers vary the amount of outdoor air based on outdoor tempered enthalpy economizers vary the amount of outdoor air based on outdoor temple thumidity level.	cooli thalp uture	ng vy.	

3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)	
AC	TIVITY 16: FANS	
3aa	Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)	
	TE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ure sufficient outdoor air supply.	
4.	AIR DISTRIBUTION	
AC	TIVITY 17: AIR DISTRIBUTION	
	Ensured that supply and return air pathways in the existing ventilation system perform as required	
	TE: If ventilation system is closed or blocked to meet current fire codes, consult with a fessional engineer for remedies.	
4c.	Made sure every occupied space has supply of outdoor air (mechanical system or operable windows)	
	TE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate correct the cause of the discomfort and reopen the vents.	TESTING JULY 2024
	Modified the HVAC system to supply outside air to areas without an outdoor air supply	( July 2021
	Modified existing HVAC systems to incorporate any room or zone layout and population changes	
4g.	Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents	
4h.	Ensured that unit ventilators are quiet enough to accommodate classroom activities	
4i.	Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals	
AC	TIVITY 18: PRESSURIZATION IN BUILDINGS	
ma	TE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to intain positive pressurization in the building. Therefore, ensure that the system, including exhaust fans, is operating on the "occupied" cycle when doing this activity.	
4j.	Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)	JUZY 2024
5.	EXHAUST SYSTEMS	
	TIVITY 19: EXHAUST FAN OPERATION  Checked (using chemical smoke) that air flows into exhaust fan grille(s)	
If fo	<ul> <li>Ins are running but air is not flowing toward the exhaust intake, check for the following:</li> <li>Inoperable dampers</li> <li>Obstructed, leaky, or disconnected ductwork</li> <li>Undersized or improperly installed fan</li> <li>Broken fan belt</li> </ul>	




TESTING JULY 2024

#### 5. EXHAUST SYSTEMS (continued)

#### **ACTIVITY 20: EXHAUST AIRFLOW**

TOTAL TENEDRAL TRANSPORT		
NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitcand labs by keeping them under negative pressure (as compared to surrounding space		ς,
5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	No □	N/.
Stand outside the room with the door slightly open while checking airflow high and l the door opening (see "How to Measure Airflow").	ow ii	n
5c. Ensured that air is flowing toward the exhaust intake		
ACTIVITY 21: EXHAUST DUCTWORK  5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition	Q	
6. QUANTITY OF OUTDOOR AIR		
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS		
NOTE: Refer to "How to Measure Airflow" for techniques.		
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit		
6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration		
6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)□	0	
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES 6d. Compared the existing outdoor air per person (22c) to the recommended		
levels in Table 1		
6e. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet		

the recommended levels in Table 1




- 1. Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - · Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.


# Integrated Pest Management Checklist

Na	ame: OHUS HANDING			
Sc	chool: HEBRON ELEMENTHRY SCHOOL			
	gnature: Date Completed:	3	\	
L				
1.	OFFICIAL POLICY STATEMENT	es N	olo	N/A
1a.	Developed or located the school's official policy statement for integrated pest management (IPM)	1		
2.	DESIGNATING PEST MANAGEMENT ROLES			
2b.	Involved decision makers in the IPM program		о О	<u> </u>
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter			
	Encouraged parents to learn about IPM practices and implement them at home			<u> </u>
2f.	Included language about IPM into contracts with pest management professionals	<b>a</b>		0
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	<b>a∕</b> ∣		
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	<u>.</u> 1		۵
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	Inspected all buildings and grounds for pest evidence, entry points, food, water, and harborage sites	<b>-</b>	$\Box$	П
4b.				
	Pinpointed the source of any current pest problems	<b>a</b>		
4d.	Monitored to determine the extent of pest problems and to estimate pest populations			
4e.	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems			
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and			

5.	SETTING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring			N/A
	Determined how many pests the school buildings, grounds, and occupants can tolerate	⊌⁄		
5c.	Set action thresholds	<b>a</b>		
6.	PREVENTIVE STRATEGIES			
INI	DOOR SITES			
ба.	Implemented appropriate strategies to prevent pests from inhabiting the formula in the formula i			
οu	TDOOR SITES			
6b.	Implemented appropriate strategies to prevent pests from inhabiting the formula of the Playgrounds  Parking lots  Lawns and athletic fields  Teaching gardens or greenhouses  Loading docks  Dumpsters  Areas with ornamental shrubs and trees  Other  PESTICIDE USE AND STORAGE  PARK + Pacc			eas:
7a.	Explored alternative pest management methods before concluding that	1		
	pesticides were necessary	<b>u</b>		
	pest management methods	₩		
	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem, preferably as baitsand granules	<b>u</b>	Q	
7d.	Reviewed and followed all label instructions on pesticides and learned how to properly apply and handle these chemicals	☑		
	Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested plants in the area	<b>u</b>	_	
7f.	Used protective clothing or equipment when applying pesticides	<b></b>		
ıg.	inaccessible to children and non-target species	🖫		




PARKS+REC. DEPT.



# 7. PESTICIDE USE AND STORAGE (cont.)

7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	Yes ☑	No □	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	Q		
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	ď		۵
7k.	Ensured that parents are notified of upcoming pesticide applications through letters	4		
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	4		
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	ď		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment			
7o.	Ensured that flammable liquids are stored away from ignition sources	Ø		
p.	Ensured that pesticides are stored in their original containers and all lids are securely fastened	œ/		
q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	u/		
3,	EVALUATING RESULTS AND RECORD KEEPING			
Ba.	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept		<i>,</i>	
ßb.	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained	· ਖੁ		
c.	Ensured that each log book contains the following items:	,		
	Copy of the pest management plan			
	Service schedules for maintenance of buildings and grounds			
	Current EPA-registered labels			
	• Current Material Safety Data Sheets (MSDS) for each pesticide project			
	Pest surveillance data sheets		, <u>O</u>	
	• Diagram noting the location of pest activity, traps, and bait stations	Ø		




- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Building and Grounds Maintenance Checklist**

Na	ame:			
Sc	hool: HEBREN ETEMENTARY SCHOOL			
Ro	nom or Area: BUILDING Date Completed: 12/30/	23		
Si	gnature:			
Di	Guardio.		·	
1.	BUILDING MAINTENANCE SUPPLIES	Voo	No	817
la.	Developed appropriate procedures and stocked supplies for spill control			347
	Reviewed supply labels	🗹		
1c.	Ensured that air from chemical and trash storage areas vents to	_/	_	,
1.1	the outdoors.	🗹	U	
10.	Stored chemical products and supplies in sealed, clearly labeled containers	. 🗹		
1e.	Researched and selected the safest products available	🗹		
1f.	Ensured that supplies are being used according to manufacturers'	./		
_	instructions	🗹		
lg.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		, 	Ė
1h.		🖳		
1i.	Scheduled work involving odorous or hazardous chemicals for periods		/	
	when the school is unoccupied	🗹		
1j.	Ventilated affected areas during and after the use of odorous or	_/	/_	
	hazardous chemicals	4	Ч	Ļ
2.	GROUNDS MAINTENANCE SUPPLIES		,	
2a.	Stored grounds maintenance supplies in appropriate area(s)	🗹		
	Ensured that supplies are used and stored according to manufacturers'	–	/	
	instructions	<b>I</b>		
2c.	Established and followed procedures to minimize exposure to fumes	_/	,	_
24	from supplies	🗹		<u></u>
	Replaced portable gas cans with low-emission cans			
2f.	Stored chamical products and symplics in scaled clearly labeled	,		
	containers	গ্র		
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	_/	/ 	
	disposed of according to manufacturers' instructions	<b>ध</b>	L.I	L
3.	DUST CONTROL			
3a,	Installed and maintained barrier mats for entrances	. 🗹		
3b.	Used high efficiency vacuum bags	🗹 🗸	ū	
3с.	Used proper dusting techniques	<b>d</b> ,		
3d.	Wrapped feather dusters with a dust cloth	🛭 )	, 🗆	
3e.				

4.	FLOOR CLEANING Yes	ş No	N/A
4b.	Established and followed schedule for vacuuming and mopping floors	í, a	<u> </u>
5.	DRAIN TRAPS	,	
5b.	Poured water down floor drains once per week (about 1 quart of water)	[/ <b>U</b>	_ _ _
6.	MOISTURE, LEAKS, AND SPILLS	/	
6a.	Checked for moldy odors	ı o	
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)		
6с.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	í o	<b></b>
6d.	Checked that windows, windowsills, and window frames are free of condensate		
бе.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	<b>/</b>	
6f.	Ensured the following areas are free from signs of leaks and water damage:  Indoor areas near known roof or wall leaks	(	_ _ _
7.	COMBUSTION APPLIANCES	,	
7b. 7c.	Checked for odors from combustion appliances		_ _ _
8.	PEST CONTROL	/	
8a.	Completed the Integrated Pest Management Checklist	<b>/</b> 🗆	





## **Food Service Checklist**

Name:	CHALS HA	GROING	
School:	HEBRON	ELEMENATING SO	CHOOL
Room or Area:	KITCHEN	Date Completed:	12/30/23
Signature:	(SH)		

#### Instructions

- Read the IAQ
   Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1a.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)		No □	N/A □
1b.	Checked for odors near cooking, preparation, and eating areas	. 🖭		
1c.	Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning	. <b>W</b>		
	Determined that gas appliances function properly			
1e.	Verified that gas appliances are vented outdoors	. 🛮		
	Ensured there are no combustion gas or natural gas odors, leaks, back-drafting, or headaches when gas appliances are used			
	Ensured that kitchen is clean after use	. <b>y</b>		
	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)	. 🗹		۵
1i.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the method of application	. <b>u</b>		ū
1j.	Verified the kitchen is free of plumbing and ceiling leaks (signs include stains, discoloration, and damp areas)	,		
	FOOD HANDLING AND STORAGE Checked food preparation, cooking, and storage areas for signs of insects			
	and vermin (for example, feces or remains)	. <b>6</b>		
2b.	surfaces			
	Ensured that food preparation, cooking, and storage practices are sanitary .			
	Disposed of food scraps properly and removed crumbs	. <b>u</b>		
	Cleaned counters with soap and water or a disinfectant (according to school policy)			
2f.	Swept and wet mopped floors	. 🗷		Q
3.	WASTE MANAGEMENT	,		
3a.	Selected and placed waste in appropriate containers	. [2] [1]		Q D
30.	Separated food waste and food-contaminated items from other wastes,	. 🛥	_	<b>-</b>
50,	if possible	. <b>4</b>		
3d.	Stored waste containers in a well-ventilated area	. 12		ū
3e.		. 🗗		
	•			

### 

